Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		(output$5 with both with (devic$5 adj2 dependent$5 near4 device$5 adj2 independent$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:26
		(convert$5 adj4 (EMF$2 intermediat$5 adj1 data device adj2 independen$5) with (RAW PCL$2 dependent$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:25
		((determin$5 analyz$5)$5 with (print$5 adj2 driver$5) with (attribut$5 parameter$5 setting$5 model$5 version$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:59
		((determin$5 analyz$5)$5 with (print$5 adj2 driver$5) with (attribut$5 parameter$5 setting$5 model$5 version$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:56
		(determin$5 analyz$5)$5 with (print$5 adj2 driver$5) with (attribut$5 parameter$5 setting$5 model$5 version$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:56
		(determin$5 analyz$5))$5 with (print$5 adj2 driver$5) with (attribut$5 parameter$5 setting$5 model$5 version$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:56
S1	0	(compar$5 adj2 (printer$5 adj2 driver$5) adj2 (attribut$5 parameter$5 setting$5 model$5)) same (emf device$5 adj2 independent$5 RAW)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:14
S2	0	(compar$5 adj2 (printer$5 adj2 driver$5) adj2 (attribut$5 parameter$5 setting$5 model$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:15
S3	0	(compar$5 adj2 (print$5 adj2 driver$5) adj2 (attribut$5 parameter$5 setting$5 model$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:15

S4	7	(compar$5 with (print$5 adj2 driver$5) adj2 (attribut$5 parameter$5 setting$5 model$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:19
S5	36	(compar$5 with (print$5 adj2 driver$5) near4 (attribut$5 parameter$5 setting$5 model$5 version$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:22
S6	7	S5 and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:22
S7	44	(compar$5 with (print$5 adj2 driver$5) with (attribut$5 parameter$5 setting$5 model$5 version$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:56
S8	8	S7 not S5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:22
S9	6	S8 and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 11:24
S10	2	JP-09152946-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/16 15:32
S11	2	("6089765").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 11:06
S12	211	(compar$5 determin$5 analyz$5) with (print$5 adj2 (driver$5 software$5 firmware$5)) with (attribut$5 parameter$5 version$5 capabilit$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 11:14
S13	66	S12 and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:59

S14	3	(compar$5 adj3 (printer$5 adj2 driver$5)) adj4 (model$5 version$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:21
S15	2	JP-2002196906-$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:21
S16	269	((determin$5 analyz$5) with (print$5 adj2 driver$5) with (attribut$5 parameter$5 setting$5 model$5 version$2))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 13:59
S17	73	S16 and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:27
S18	2	("6089765").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 14:17
S19	144	(convert$5 adj4 (EMF$2 intermediat$5 adj1 data device adj2 independen$5) with (RAW PCL$2 dependent$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:33
S20	0	(convert$5 adj4 (EMF$2 intermediat$5 adj1 data device adj2 independen$5) with (RAW PCL$2 dependent$5)) same (different$5 adj2 printer$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:26
S21	0	(convert$5 adj4 (EMF$2 intermediat$5 adj1 data device adj2 independen$5) with (RAW PCL$2 dependent$5)) same printer%6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:26
S22	0	(convert$5 adj4 (EMF$2 intermediat$5 adj1 data device adj2 independen$5) with (RAW PCL$2 dependent$5)) same printer46	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:26
S23	51	(convert$5 adj4 (EMF$2 intermediat$5 adj1 data device adj2 independen$5) with (RAW PCL$2 dependent$5)) same printer$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:26

S24	38	S23 and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:49
S25	0	(substitu$5 alternat$5) adj2 print$5 with (convert$5 adj4 (EMF$2 intermediat$5 adj1 data device adj2 independen$5) with (RAW PCL$2 dependent$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:34
S26	0	(substitu$5 alternat$5) adj2 print$5 same (convert$5 adj4 (EMF$2 intermediat$5 adj1 data device adj2 independen$5) with (RAW PCL$2 dependent$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:34
S27	0	(substitu$5 alternat$5) adj2 print$5 same (convert$5 with (EMF$2 intermediat$5 adj1 data device adj2 independen$5) same (RAW PCL$2 dependent$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 14:35
S28	12	(substitu$5 alternat$5) adj2 print$5 and (convert$5 with (EMF$2 intermediat$5 adj1 data device adj2 independen$5) same (RAW PCL$2 dependent$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:28
S29	2	("6089765").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/20 15:07
S30	3	(convert$5 with (EMF$2 intermediat$5 adj1 data device adj2 independen$5) same (RAW PCL$2 dependent$5)) same (different$5 adj2 printer$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:48
S31	43	(convert$5 with (EMF$2 intermediat$5 adj1 data device adj2 independen$5) same (RAW PCL$2 dependent$5)) and (different$5 adj2 printer$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:50
S32	20	S31 and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:22
S33	6	print$5 adj2 driver$5 with (convert$5 with (EMF$2 intermediat$5 adj1 data device adj2 independen$5) same (RAW PCL$2 dependent$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:54

S34	12	print$5 adj2 driver$5 same (convert$5 with (EMF$2 intermediat$5 adj1 data device adj2 independen$5) same (RAW PCL$2 dependent$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 15:54
S35	6	S34 not S33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:22
S36	84	(compar$5 adj4 difference$5) with (printer$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:24
S37	64	S36 and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:24
S38	182	(determin$5 adj4 difference$5) with (printer$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:24
S39	112	S38 and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:39
S40	47	(compar$5 adj4 (print$5 adj2 driver$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:39
S41	14	S40 and @ad<"19991005"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:39
S42	4	(output$5 with both with (devic$5 adj2 dependent$5 near4 device$5 adj2 independent$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:33
S43	5	(print$5 with both with (devic$5 adj2 dependent$5 near4 device$5 adj2 independent$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/21 10:33